

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

मानक चिह्न के उपयोग के लिए अनुज्ञप्ति
Licence for the use of STANDARD MARK

लाइसेंस सं. सीएम/एल- 8700099720
Licence No. CM/L- 8700099720

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

पीसीपी इंटरनेशनल लि.,
ए-22, दूसरी मंजिल, सेक्टर-64, नोएडा,
गौतमबुध नगर, उत्तर प्रदेश- 201301

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिह्न का इस अनुसूची के तीसरे स्तंभ में दी गई किस्मों पर, उपयोग करने के लिए अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मों पर चिह्न का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबंध भारतीय मानक (मानकों) के अनुसार/अनुरूप विनिर्मित हो।

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

PCP International Ltd.
A-22, 2nd Floor,, Sector-64, Noida,
Gautam Budh Nagar, Uttar Pradesh- 201301,

(hereinafter called the Licensee) this licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबद्ध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी हैं। यह अनुज्ञप्ति पहली अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-I में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

2. This licence carries the obligations on the part of licensee as condition of licence which are given in Annexure attached herewith. The licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the scheme-I

अनुसूची
SCHEDULE

लाइसेंस सं. सीएम/एल

LICENCE NO. CM/L - 8700099720

नाम : पीसीपी इंटरनेशनल लि.,


फैक्ट्री एड्रेस : ए-22, दूसरी मंजिल, सेक्टर-64, नोएडा, गौतमबुध नगर उत्तर प्रदेश- 201301

विधिमान्यता : सताइस नवम्बर दो हजार उन्नीस से छब्बीस नवम्बर दो हजार बीस

Name : PCP International Ltd.

Factory Address : A-22, 2nd Floor,, Sector-64, NOIDA, Noida, - 201301, Uttar Pradesh, India

Validity : From Twenty Seventh November Two Thousand Nineteen to Twenty Sixth November Two Thousand Twenty

मानक चिह्न STANDARD MARK	भारतीय मानक INDIAN STANDARD(S)	अनुज्ञप्ति का विषय क्षेत्र SCOPE OF LICENCE	चिह्नांकन शुल्क MARKING FEE
(1)	(2)	(3)	(4)
IS 16444  PART 1 CM/L- 8700099720	IS 16444 : PART 1 : 2015 a.c. Static Direct Connected Watt-hour Smart Meter Class 1 and 2 - Specification	Single Phase, 2 Wire, Class 1, Voltage-240 V, Basic Current (Ib) 10 A, Maximum Current I max - 60 A, Frequency - 50 Hz, Plug-in type Communication module -WAN, Electronic Display, Load Switching utilization category - UC1, Meter constant - 3200imp/kWh	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस ₹ 560000.00 के साथ सभी इकाईयों के लिए ₹ 1.00 प्रति इकाई इकाई: 1 पीस ₹ 1.00 per unit for all units with a Minimum Marking Fee of ₹ 560000.00 during an operative period of one year Unit: 1 PIECE एक प्रचालन वर्ष के लिए न्यूनतम चिह्नांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रणीत होगी। Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)

आज 10 दिसम्बर दो हजार उन्नीस को हस्ताक्षरित तथा मोहरबंद किया गया।

Signed, Sealed and Dated this 10 December Two Thousand Nineteen .

कृते भारतीय मानक ब्यूरो
for BUREAU OF INDIAN STANDARDS

हस्ताक्षर/Signature : (A Mohd Ismail)

वैज्ञानिक एफ एवं प्रमुख/ SCIENTIST-F & HEAD

10.12.19
S.C.B. (R.D.)
Rahul.
10/12/19



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
गाजियाबाद शाखा कार्यालय
GHAZIABAD BRANCH OFFICE

शाखा कार्यालय: केन्द्रीय प्रयोगशाला (रसायन लैब ब्लॉक)

भूतल एवं प्रथम तल, प्लॉट नं.-20/9, साइट-IV
साहिबाबाद औद्योगिक क्षेत्र, साहिबाबाद, गाजियाबाद

Branch Office : Central Laboratory (Chemical Lab Block) Ground &
1st Floor, Plot No. 20/9, Site-IV, Sahibabad
Industrial Area, Sahibabd, Ghaziabad-201010 (U.P.)

E-mail : gzo@bis.org.in

Website : www.bis.org.in



दूरभाष : 0120-2771090, 0120-2771091 **फैक्स :** 0120-2771094
Phone : 0120-2771092, 0120-2771093 **Fax :** 0120-2771094

Our Ref :GZBO/CM/L 8700099720

Dated: 10-12-2019

Subject: Grant of BIS Certification Marks Licence No 8700099720 as per IS 16444 : Part 1:2015.

M/S PCP International Ltd.
A-22, 2nd Floor,,Sector-64, Noida,
Gautam buddh Nagar,
Uttar Pradesh, 201301

Dear Madams(s)/Sir,

With reference to your application, we are pleased to inform you that the Certification Marks Licence (CM/L- 8700099720) has been granted to you to use the Standard Mark in respect of the followings:

A.C. Static Direct Connected Watthour Smart Meter Class 1 as per IS 16444 : Part 1:2015 .

Grade/Class/Type/Variety

Single Phase, 2 Wire, Class 1, Voltage-240 V, Basic Current (Ib) 10 A, Maximum Current I max - 60 A, Frequency - 50 Hz, Plug-in type Communication module -WAN, Electronic Display, Load Switching utilization category - UC1, Meter constant - 3200imp/kWh

1. The licence is granted on the explicit condition that you will mark substantial production which conforms to the Indian Standards.

2.The number assigned to this licence is **CM/L- 8700099720** which has been made operative from 27/11/2019 and is valid upto 26/11/2020. The licence number should invariably be referred to in your future correspondence.

According to sub-regulations (1) &(3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulations, 2018, the annual licence fee of Rs. 000.00 and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS(Conformity assessment) Regulations 2018 is payable by you with effect from 2019-11-27 for the period of validity of the licence in advance.

3. Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the whether you actually mark your product or not with the Standard Mark.**Our Receipt No.** 0087PC2019002677 dated 2019-11-27 for the licence fee and the minimum marking fee for the first operative period is already issued on manakonline portal.
4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

5.With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first

मुख्यालय : मानक भवन, 9 बहादुरशाह जफर मार्ग, नई दिल्ली-110002

H.O. : Manak Bhawan, 9 Bhadurshah Zafar Marg, New Delhi-110002

nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

6. The Scheme of Testing and Inspection as specified by BIS and accepted by you will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.


7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.

9. This licence is granted for your factory situated at A-22, 2nd Floor,,Sector-64, Noida, Gautam buddh Nagar,Uttar Pradesh, 201301. Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence..

10. It may be noted that this licence is granted subject to the condition that if samples drawn on 30/09/2019 by BIS during the verification visit before grant of licence, fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under Stop Marking, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation.

Thanking You,


(A Mohd Ismail)
SCIENTIST-F & Head